

## 8. BIBLIOGRAFÍA

Abbad-Andaloussi, S., Lagnel, C., Warzywoda, M., Monot, F., 2003. Multi-criteria comparison of resting cell activities of bacterial strains selected for biodesulfurization of petroleum compounds. *Enz. Microbiol. Technol.*, **32**(3-4), 446-454.

Acharya, C., Sukla, L.B., Misra, V.N., 2005. Biological elimination of sulphur from high sulphur coal by *Aspergillus*-like fungi. *Fuel*, **84**, 1597-1600.

Aiba, S., Humphrey, A.E., Millis, N.F., 1973, *Biochem. Eng. 2º Edición. Academic Press. Inc. N. K., Londres.*

Alcon, A., Santos, V. E., Martin, A. B., Yustos, P., García-Ochoa, F, 2005. Biodesulfurisation of DBT with *Pseudomonas putida* CECT5279 by resting cells: Influence of cell growth time on reducing equivalent concentration and HpaC activity. *Biochem. Eng. J.*, **26**, 168-175.

Babich, I.V., Moulijn, J.A., 2003. Science and technology of novel processes for deep desulfurization of oil refinery streams: a review. *Fuel*, **82**, 607-631.

Bekhit, A.E.D., Faustman, C., 2005. Metmyoglobin reducing activity. *Meat Sci.*, **71**(3), 407-439.

Borole, A.P., Kaufman, E.N., Grossman, M.J., Minak-Bernero, V., Bare, R., Lee, M.K., 2002. Comparison of the emulsion characteristics of *Rhodococcus erythropolis* and *Escherichia coli* SOXC-5 cells expressing biodesulfuration genes. *Biotechnol. Prog.*, **18**, 88-93.

Bravo, M., Lespes, G., De Gregori, I., Pinochet, H., Potin-Gautier, M., 2004. Identification of sulfur interferences during organotin determination in harbour

## 8. BIBLIOGRAFÍA

---

sediment samples by sodium tetraethyl borate ethylation and gas chromatography-pulsed flame photometric detection. *J. Chromatography A*, **1046**(1-2), 217-224.

Brilman, D.W.F., Goldschmidt, M.J.V, Versteeg, G.F., Van Swaaij, W.P.M., 2000, Heterogeneous mass transfer models for gas absorption in multiphase systems. *Chem. Eng. Sci.*, **55** (12), 2793-2812.

Bruining, W.J., Joosten, G.E.H., Beenackers, A.A.C.M., Hofman, H., 1986. Enhancement of gas-liquid mass transfer by a dispersed second liquid phase. *Chem. Eng. Sci.*, **41**, 1873-1877.

Calderbank, P.H., 1959. Physical rate processes in industrial fermentation. Part. II: Mass transfer coefficient in gas-liquid contactig with and without mechanical agitation. *Trans. Inst. Chem. Engrs.*, **37**, 173-185.

Calderbank, P.H., 1958. Physical rate processes in industrial fermentation. Part. I: The interfacial area in gas-liquid contacting with mechanical agitation. *Trans. Inst. Chem. Engrs.*, **36**, 443-463.

Carragher, J.M., McClean, W.S., Woodley, J.M., Hack, C.J., 2001. The use of oxygen uptake rate measurements to control the supply of toxic substrate: toluene hydroxylation by *Pseudomonas putida* UV4. *Enz. Microbiol. Technol.*, **28**, 183-188.

Castorena, G., Suárez, C., Valdez, I., Amador, G., Fernández, L., Le Borge, S., 2002. Sulfur-selective desulfurization of dibenzothiophene and diesel oil by newly isolated *Rhodococcus* sp. strains. *FEMS Microbiol. Lett.*, **10640**, 1-5.

Cents, A.H.G., Brillman, D.W.F., Versteeg, F.G., 2001. Gas absorption in an agitated gas-liquid-liquid system. *Chem. Eng. Sci.*, **56**, 1075-1083.

Chae, H.J., Yoo, Y.J., 1996. Mathematical modelling and simulation of catechol production from benzoate using resting cells of *Pseudomonas putida*. *Process Biochem.*, **32**(5), 423-432.

Chang, J.H., Kim, Y.J., Lee, B.H., Cho, K.S., Ryu, H.W., Chang, Y.K., Chang, H.N., 2001. Production of a desulfurization biocatalyst by two-stage fermentation and its application for the treatment of model and diesel oils. *Biotechnol. Prog.*, **17**(5), 876-880.

Chang, J.H., Chang, Y.K., Ryu, H.W., Chang H.N., 2000. Desulfurization of lighth gas oil in immobilized-cell systems of *Gordona* sp. CYKS1 and *Nocardia* sp. CYKS2. *FEMS Microbiol. Lett.*, **182**, 309-312.

Chang, J.H., Rhee,S.K., Chang, Y.K., Chang, H.N., 1998. Desulfurization of diesel oils by a newly isolated dibenzothiophene-degrading *Nocardia* sp. strain CYKS2. *Biotechnol. Prog.*, **14**(6), 851-855.

Chen, B.H., Yang, N.S., 1989. Characteristics of a conCurr. multistage bubble column. *Ind. Eng. Chem. Res.*, **28**, 1405-1410.

Choi, D.H., Hori, K., Tanji, Y., Unno, H., 1999. Microbial degradation kinetics of solid alkane dissolved in nondegradable oil phase. *Biochem. Eng. J.*, **3**, 71-78.

Das, T.R., Bandopadhyay, A., Parthasarathy, R., Kumar, R., 1985. Gas-liquid interfacial area in stirred vessels: the effect of an immiscible liquid phase. *Chem. Eng. Sci.*, **40**, 209-214.

Davies, J.T., 1972. Turbulence phenomena at free surfaces. *AICHE J.*, **18**, 169-173

De Fatima, W. M. J.,Setti, L., Lanzarini G., Pifferi P. G., 1996. Dibenzothiophene biodegradation by a *Pseudomonas* sp. in poorly degradable organic solvents. *Process Biochem.*, **31**(7), 711-717.

Délécouls-Servat, K., Basséguy, R., Bergel, A., 2002. Membrane electrochemical reactor (MER): application to NADH regeneration for ADH-catalysed synthesis. *Chem. Eng. Sci.*, **57**, 4633-4642.

## 8. BIBLIOGRAFÍA

---

Denome, S.A., Oldfield, C., Nash, L.J., Young, K.D., 1994. Characterization of the desulfurization genes from *Rhodococcus* sp. strain IGTS8. *J. Bacteriol.*, **176**, 6707-6716.

Denome, S.A., Olson, E.S., Young, K.D., 1993. Identification and cloning of genes involved in specific desulfurization of dibenzothiophene by *Rhodococcus* sp. strain IGTS8. *Appl. Environ. Microbiol.*, **59**, 2837-2843.

Díaz, R., Gamazo, C., López-Goñi, I., 1995. Manual Práctico de Microbiología. Ed. MASSON, S.A. ISBN 84-458-0281-X

Duetz, W.A., Beilen, J.B., Witholt, B., 2001. Using proteins in their natural environment: potential and limitations of microbial whole-cell hydroxylations in applied biocatalysis. *Curr. Op. in Biotechnol.*, **12**, 419-425.

Dussap, C.G., Decorps, J., Gros, J.B., 1985, Transfert d'oxygene en presence de polysaccharides exocellulaires dans un fermenteur agite aeré et dans un fermenteur de type gazosiphon. *Entropie*, **123**, 11-20.

Faber K., Patel R., 2000. Chemical biotechnology. A happy marriage between chemistry and biotechnology: asymmetric synthesis via green chemistry. *Curr. Op. in Biotechnol.*, **11**, 517-519.

Finnerty, W.R., 1993. Organic sulfur biodesulfurization in non-aqueous media. *Fuel*, **72**(12), 1631-1634.

Folsom, B.R., Schieche, D.R., DiGracia, P.M., Werner, J., Palmer, S., 1999. Microbial desulfurization of alkylated dibenzothiophenes from hydrodesulfurized middle distillate by *Rhodococcus erythropolis* I-19. *Appl. Environ. Microbiol.*, **65**(11), 4967-4972.

Frassinetti, S., Setti, L., Corti, A., Farrineli, P., Montevecchi, P., Vallini, G., 1998. Biodegradation of dibenzothiophene by a nodulating isolate of *Rhizobium melioli*. *Can. J. Microbiol.*, **44**(3), 289-297.

- Furuya, T., Takahashi, S., Iwasaki, I., Ishii, Y., Kino, K., Kirimura, K., 2005. Gene cloning and characterization of *Mycobacterium phlei* flavin reductase involved in DBT desulfurization. *J. Biosci. Bioeng.*, **99**(6), 577-585.
- Furuya, T., Takahashi, S., Ishii, Y., Kino, K., Kirimura, K., 2004. Cloning of a gene encoding flavin reductase coupling with dibenzothiophene monooxygenase through coexpression screening using indigo production as selective indication. *Biochem. Biophys. Res. Communications*, **313**, 570-575.
- Furuya, T., Ishii, Y., Noda, K., Kino, K., Kirimura, K., 2003. Thermophilic biodesulfurization of hydrodesulfurized light gas oils by *Mycobacterium phlei* WU-F1. *FEMS Microbiol. Lett.*, **10910**, 1-6.
- Furuya, T., Kirimura, K., Kino, K., Usami, S., 2001. Thermophilic biodesulfurization of dibenzothiophene and its derivatives by *Mycobacterium phlei* WU-F1. *FEMS Microbiol. Lett.*, **204**, 129-133.
- Galan, B., Diaz, E., Garcia, J.L., 2000. Enhancing desulfurization by engineering a flavin reductase-encoding gene cassette in recombinant biocatalysts. *Environ. Microbiol. J. Bacteriol.*, **182**, 627-632.
- Galan, B., Diaz, E., Fernandez, A., Prieto, M.A., Garcia, J.L., Garcia-Ochoa F., Garcia-Calvo, E., 2001. Method for desulfurization of dibenzothiophene using a recombinant *Pseudomonas putida* strains as biocatalyst. International Patent WO 01/70996 AL.
- Gallagher, J.R., Olson, E.S., Stanley, D.C., 1993. Microbial desulfurization of dibenzothiophene: a sulfur-specific pathway. *FEMS Microbiol. Lett.*, **107**, 31-36.
- Gallardo ME, Ferrandez A, De Lorenzo V, Garcia JL, Diaz E., 1997. Designing recombinant *Pseudomonas* strains to enhance biodesulfurization. *J. Bacteriol.*, **179**, 7156-7160.

## 8. BIBLIOGRAFÍA

---

García Calvo, E, Rodriguez, A., Prados, A., Jaroslav, K., 1999. A fluid dynamic model for three phase air-lift reactors. *Chem. Eng. Sci*, **54**(13), 2359-2370.

García Calvo, E., 1992. Fluid dynamics of air-lift reactors. Two-phase friction factors. *AICHE J.*, **38**(10), 1662-1666.

García Calvo, E, Letón, P., 1991. A fluid dynamic model for bubble columns and air-lift reactors. *Chem. Eng. Sci*, **46**(11), 2947-2951.

García Calvo, E., 1989. A fluid dynamic model for airlift reactors. *Chem. Eng. Sci.*, **44**, 321-323.

García-Ochoa, F., Gómez, E., 2005. Prediction of gas-liquid mass transfer coefficient in sparged stirred tanks bioreactors. ( Enviado a *Biotech. Bioeng.*)

García-Ochoa, F., Gómez, E., 2004. Theoretical prediction of gas-liquid mass transfer coefficient, specific area and hold-up in sparged stirred tanks. *Chem. Eng. Sci.*, **59**, 2489-2501.

García-Ochoa, F., Gómez, E., 2001. Estimation of oxygen mass transfer coefficient in stirrer tank reactors using artificial neuronal networks. *Enz. Microbiol. Technol.*, **28**, 560-569.

García-Ochoa, F., Gómez, E., 1998. Mass transfer coefficient in stirrer tank reactors for xanthan solutions. *Biochem. Eng. J.*, **1**, 1-10.

Gary J.R., Handwerk, G.E., 1994. Introduction to petroleum refining. *Marcel Dekker, N. K.*

Gray K.A., Mrachko G.T., Squires C.H., 2003. Biodesulfurization of fossil fuels. *Curr. Op. in Microbiol.*, **6**(3), 229-235.

Gray K.A., Pogrebinsky, O.S., Mrachko, T., Xi, L., Monticello, D.J., Squires, C.H., 1996. Molecular mechanisms of biocatalytic desulfurization of fossil fuels. *Nat. Biotechnol.*, **14**, 1705-1709.

Grossman, M.J., Lee, M.K., Prince, R.C., Minak-Bernero, V., George, G.N., Pickering, I.J., 2001. Deep desulfurization of extensively hydrodesulfurized middle distillate oil by *Rhodococcus* sp. strain ECRD-1. *Appl. Environ. Microbiol.*, **67**(4), 1949-1952.

Grossman, M.J., Lee, M.K., Prince, R.C., Garret, K.K., George, G.N., Pickering, I.J., 1999. Microbial desulfurization of a crude oil middle-distillate fraction: analysis of the extent of sulfur removal and the effect of removal on remaining sulfur. *Appl. Environ. Microbiol.*, **65**(1), 181-188.

Grund, G., Schumpe, A. y Deckwer, W. D., 1992, Gas-liquid mass transfer in a bubble column with organic liquids. *Chem. Eng. Sci.*, **47**, 3509-3516.

Guchhait, S, Biswas, D., Bhattacharya, P., Chowdhury, R., 2005A. Bio-desulfurization of model organo-sulfur compounds and hydrotreated diesel-Experiments and modelling. *Chem. Eng. J.*, **112**, 145-151.

Guchhait, S, Biswas, D., Bhattacharya, P., Chowdhury, R., 2005B. Bi-phasic bio-conversion of sulfur present in model organo-sulfur compounds and hydro-treated diesel. *Catal. today*, **112**(1-3), 145-151.

Güell,C., Giralt, J., 1994. Determination of  $K_La$  values using CO<sub>2</sub> mass balance technique in a coal desulfurization bioreactor. *Ind. Eng. Chem. Res.*, **33**, 950-956.

Guerinik, K., Al-Mutawah, Q., 2003. Isolation and characterisation of oil-desulphurizing bacteria. *World J. Microbiol. Biotechnol.*, **19**, 941-945.

Guobin, S., Huaiying, Z., Jianmin, X., Guo, C., Wangliang, L., Huizhou, L., 2006. Biodesulfurization of hydrodesulfurized diesel oil with *Pseudomonas delafieldii* R-8 from high density culture. *Biochem. Eng. J.*, **27**(3), 305-309.

## 8. BIBLIOGRAFÍA

---

Guobin, S., Jianmin, X., Huaiying, Z., Huizhou, L., 2005. Deep desulfurization of hydrodesulfurized diesel oil by *Pseudomonas delafieldii* R-8. *J. Chem. Technol. Biotechnol.*, **80**, 420-424.

H. del Olmo, C., Alcon, A., Santos, V. E., García-Ochoa, F., 2005A. Modeling the production of a *Rhodococcus erythropolis* IGTS8 biocatalyst for DBT biodesulfurization: Influence of media composition. *Enz. Microbiol. Technol.*, **37**, 157-166

H. del Olmo, C., E. Santos, V., Alcon, A., García-Ochoa, F., 2005B. Production of a *Rhodococcus erythropolis* IGTS8 biocatalyst for DBT biodesulfurization: influence of operational conditions. *Biochem. Eng. J.*, **22**, 229-237.

Heijen, J.J., Van't Riet, K., 1984, Mass transfer mixing and heat transfer phenomena in low viscous bubble reactor. *Chem. Eng. J.*, **28**, B21-B41.

Henstock, W.H., Hanratty, T.J., 1979, Gas absorption by a liquid layer flowing on the wall of a pipe. *AICHE J.*, **25**(1), 122-131.

Hills, J.H., 1974. Radial non-uniformity of velocity voidage in a bubble column. *Trans. Instn. Chem. Engrs.*, **52**, 135-141.

Honda, H., Sugiyama, H., Saito, I., Kobayashi, T., 1998. High cell density culture of *Rhodococcus rhodochrous* by pH-stat feeding and dibenzothiophene degradation. *J. Ferment. Bioeng.*, **85**(3), 334-338.

Hou, Y., Kong, Y., Yang, J., Zhang, J., Shi, D., Xin, W., 2005. Biodesulfurization of dibenzothiophene by immobilised cells of *Pseudomonas stutzeri* UP-1. *Fuel*, **88**(14-15), 1975-1979.

Houalla M., Broderick D.H., Sapre A.V., Nag N.K., De Beer V.H.J., Gates B.C., Kwart H., 1980. Hydrodesulfurization of methyl-substituted dibenzothiophene catalyzed by sulfided Co-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>. *J. Catal.*, **61**, 523-527.



Hsu, Y.C., Dudukovic, M.P., 1980, Gas holdup and liquid circulation in gas-lift reactors. *Chem. Eng. Sci.*, **35**, 135-141.

Iglesias Piñeiro, E., 2001. Caracterización de columnas de burbujeo con recirculación interna para el tratamiento biológico de aguas residuales con microorganismos inmovilizados. Tesis Doctoral. Universidad de Alcalá.

Izumi, Y., Ohshiro, T., 2001. Purification and characterization of enzymes involved in desulfurization of dibenzothiophene in fossil fuels. *J. Molec. Catal. B: Enzymatic*, **11**, 1061-1064.

Izumi, Y., Ohshiro, T., Ogino, H., Hine, Y., Shimao, M., 1994. Selective desulfurization of dibenzothiophene by *Rhodococcus erythropolis* D-1. *Appl. Environ. Microbiol.*, **60**(1), 223-226.

Jeng, J.J., Maa, J.R., Yang, Y.M., 1986. Surface effects and mass transfer in bubble column. *Ind. Eng. Process Des. Dev.*, **25**, 974 -978.

Jia, X., Wen, J. Sun, Z., Caiyin, Q., Xie, S., 2006. Modeling of DBT biodegradation behaviors by resting cells of *Gordonia* sp. WQ-01 and its mutant in oil-water dispersions. *Chem. Eng. Sci.*, **61**(6), 1987-2000.

Jones, A.G., 1985. Liquid circulation in a draft tube bubble column. *Chem. Eng. Sci.*, **40**, 449-462.

Joshi, J.B., Sharma, M.M., 1979, A circulation cell model for bubble column. *Trans.Instn.Chem.Engrs.*, **57**, 244 –251.

Kabe T., Aoyama, Y., Wang, D., Ishihara, A., Quian, W., Hosoya, M., Zhang, Q., 2001. Effects of H<sub>2</sub>S on hydrodesulfurization of dibenzothiophene and 4,6-dimethyldibenzothiophene on alumina-supported NiMo and NiW catalysts. *Appl. Catal. A-Gen.*, **209**, 237-247.

## 8. BIBLIOGRAFÍA

---

Kato, Y., Kago, T., Morooka, S., Nishikawi, A., 1985. Longitudinal dispersion of droplet phase in single- and multi-stage bubble columns for gas-liquid-liquid systems. *J. Chem. Eng. Japan*, **18**, 154-159.

Kato, Y., Kago, T., Morooka, S., 1984. Longitudinal concentration distribution of droplets in multi-stage bubble columns for gas-liquid-liquid systems. *J. Chem. Eng. Japan*, **17**, 429-435.

Kaufman E.N., Harkins J.B., Borole A.P., 1998. Comparison of batch-stirred and electrospray reactors for biodesulfurization of dibenzothiophene in crude oil and hydrocarbon feedstocks. *Appl. Biochem. Biotechnol.*, **73**, 127-144.

Kaufman, E.N., Harkins, J.B., Rodriguez Jr, M., Tsouris, C., Selvaraj, P.T., Murphy, S., 1997. Development of an electro-spray bioreactor for crude oil processing. *Fuel Process Technol.*, **52**, 127-124.

Kawagoe, M., Otake, T., Robinson, C.W., 1989. Gas-phase mixing in bubble columns. *J. Chem. Eng. Japan*, **22**(2), 136-142.

Kawase, Y., Moo-Young, M., 1989. Turbulence intensity in bubble columns. *Chem. Eng. J.*, **40**, 55-58.

Kawase, Y., Moo-Young, M., 1986. Liquid phase mixing in bubble columns with Newtonian and non-Newtonian fluids. *Chem. Eng. Sci.*, **41**(8), 1969-1977.

Kayser K.J., Bielaga-Jones B.A., Jackowski, K., Odusan, O., Kilbane, J.J., 1993. Utilization of organosulfur compounds by axenic and mixed cultures of *Rhodococcus rhodochrous* IGTS8. *J. Gen. Microbiol.*, **139**, 3123-3129.

Kertesz, M.A., 1999. Riding the sulfur cycle-metabolism of sulfonates and sulfate esters in Gram-negative bacteria. *FEMS Microbiol. Rev.*, **24**(2), 135-175.

Kiely, G., 1999. Ingeniería Ambiental. Fundamentos, entornos, tecnologías y sistemas de gestión. 1ª Edición, McGraw-Hill, United Kingdom.

Kilbane, J.J. II, 2006. Microbial biocatalyst developments to upgrade fossil fuels. *Curr. Op. in Biotechnol.*, **17**, 1-10.

Kilbane, J.J. y Jackowski, K., 1992. Biodesulfurization of water soluble coal-derived material by *Rhodococcus rhodochrous* IGTS8. *Biotechnol. Bioeng.*, **40**, 1107-1114.

Kilbane II, J.J., 1990. Sulfur-specific microbial metabolism of organic compounds. *Resources, Conservation and Recycling*, **3**, 69-79.

Kirimura, K., Furuya, T., Nishii, Y., Ishii, Y., Kino, K., Usami, S., 2001. Biodesulfurization of dibenzothiophene and its derivatives through the selective cleavage of carbon-sulfur bonds by moderately thermophilic bacterium *Bacillus subtilis* WU-S2B. *J. Biosc. Bioeng.*, **91**(3), 262-266.

Kishimoto, M., Inui, M., Omasa, T., Katakura, Y., Suga, K., Okumura, K., 2000. Efficient production of desulfurizing cells with the aid of expert system. *Biochem. Eng. J.*, **5**, 143-147.

Klamt, S., Stelling, J., 2003. Two approaches for metabolic pathway analysis. *TRENDS in biotechnol.*, **21**(2), 64-69.

Klein, J., van Afferden, M., Pfeifer, F., Schacht, S., 1994. Microbial desulfurization of coal and oil. *Fuel Process Technol.*, **40**, 297-310.

Kobayashi, M., Horiuchi, K., Yoshikawa, O., Hirasawa, K., Ishii, Y., Fujino, K., 2001. Kinetic analysis of microbial desulfurization of model and light gas oils containing multiple alkyl dibenzothiophenes. *Biosci. Biotechnol. Biochem.*, **65**(2), 298-304.

Kobayashi, M., Onaka, T., Ishii, Y., Konishi, J., Takaki, M., Okada, H., Ohta, Y., Koizumi, K., Suzuki, M., 2000. Desulfurization of alkylated forms of both dibenzothiophene and benzothiophene by a single bacterial strain. *FEMS Microbiol. Lett.*, **187**, 123-126.

## 8. BIBLIOGRAFÍA

---

Kodama, K., Umehara, K., Shimizu, K., Nakatanni, S., Minoda, Y., Yamada, K., 1973. Identification of microbial products from dibenzothiophene and its proposed oxidation pathway. *Agr. Biol. Chem.*, **37**, 45-50.

Konishi, M., Kishimoto, M., Tamesui, N., Omasa, T., Shioya, S., Ohtake, H., 2005A. Effect of sulfur sources on specific desulfurization activity of *Rhodococcus erythropolis* KA2-5-1 in exponential fed-batch culture. *J. Of Biosci. And Bioeng.*, **99**(3), 259-263.

Konishi, M., Kishimoto, M., Tamesui, N., Omasa, T., Shioya, S., Ohtake, H., 2005B. The separation of oil from an oil-water-bacteria mixture using a hydrophobic tubular membrane. *Biochem. Eng. J.*, **24**, 49-54.

Konishi, J., Ishii, Y., Onaka, T., Ohta, Y., Suzuki, M., Maruhashi, K., 2000A. Purification and characterization of dibenzothiophene sulfone monooxygenase and FMN-dependent NADH oxidoreductase from the thermophilic bacterium *Paenibacillus* sp. strain A11-2. *J. Biosci. Bioeng.*, **90**(6), 607-613.

Konishi, J., Onaka, T., Ishii, Y. And Suzuki, M., 2000B. Demonstration of the carbon-sulfur bond targeted desulfurization of benzothiophene by thermophilic *Paenibacillus* sp. strain A11-2 capable of desulfurizing dibenzothiophene. *FEMS Microbiol. Lett.*, **187**, 151-154.

Konishi, J., Ishii, Y., Onaka, T., Okumura, K., Suzuki, M., 1997. Thermophilic carbon-sulfur-bond-targeted biodesulfurization. *Appl. Environ. Microbiol.*, **63**(8), 3164-3169.

Kropp, K.G., Fredorak, P.M., 1998. A review of the occurrence, toxicity and biodegradation of condensed thiophenes found in petroleum. *Can. J. Microbiol.*, **44**, 605-622.

Kropp, K.G., Andersson, J.T., Fedorak, P.M., 1997. Bacterial transformation of 1,2,3,4-tetrahydrodibenzothiophene and dibenzothiophene. *Appl. Environ. Microbiol.*, **63**(8), 3032-3042.

- Larkin, M.J., Kulakov, L.A., Allen, C. CR., 2005. Biodegradation and Rhodococcus-master of catabolic versatility. *Curr. Op. in Biotechnol.*, **16**, 282-290.
- Larkin, M.J., De Mot, R., Kulakov, L.A., Nagy, I., 1998. Applied aspects of *Rhodococcus* genetics. *Antonie van Leeuwenhoek*, **74**, 133-153.
- Le Borgne, S., Quintero, R., 2003. Biotechnological processes for the refining of petroleum. *Fuel Process Technol.*, **81**, 155-169.
- Leckie, F., Scragg, A.H., Cliffe, K.C., 1991B. An investigation into role of initial  $K_L a$  on the growth and alkaloid accumulation by cultures of *Catharanthus roseus*. *Biotechnol. Bioeng.*, **37**, 364-370.
- Lekhal, A., Chaudahri, R.V., Wilhelm, A.M., Delmas, H., 1997, Gas-Liquid mass transfer in gas-liquid-liquid dispersions. *Chem. Eng. Sci.*, **52** (21/22), 4069-4077.
- Letón García Pedro, 1992. Análisis fluidodinámico de columnas de burbujeo: clásicas y con recirculación. Tesis Doctoral. Universidad de Alcalá.
- Li Li, F., Xu, P., Ma, C.Q., Luo, L.L., Wang, X.S., 2003. Deep desulfurization of hydrodesulfurization-treated diesel oil by a facultative thermophilic bacterium *Mycobacterium* sp. X7B. *FEMS Microbiol. Lett.*, **223**, 301-307.
- Li, W., Zhang, Y., Wang, M. D., Shi, Y., 2005. Biodesulfurization of dibenzothiophene and other organic sulfur compounds by a newly isolated *Microbacterium* strain ZD-M2. *FEMS Microbiol. Lett.*, **247**(1), 45-50.
- Linek, V., Benes, P., 1976. A study of the mechanism of gas absorption into oil-water emulsions. *Chem. Eng. Sci.*, **31**, 1037-1046.
- Lu, J., Nakajima-Kambe, T., Shigeno, T., Ohbo, A., Nomura, N., Nakahara, T., 1999. Biodegradation of dibenzothiophene and 4,6-dimethyldibenzothiophene by *Sphingomonas paucimobilis* strain TZS-7. *J. Biosci. Bioeng.*, **88**(3), 293-299.

## 8. BIBLIOGRAFÍA

---

Luo, M.F., Xing, J.M., Gou, Z.X., Li, S., Liu, H.Z., Chen, J.Y., 2002. Desulfurization of dibenzothiophene by lyophilized cells of *Pseudomonas delafieldii* R-8 in the presence of dodecane. *Biochem. Eng. J.*, **13**(1), 1-6.

Ma, C.Q., Feng, J.H., Zeng, Y.Y., Cai, X.F., Sun, B.P., Zhang, Z.B., Blankespoor, H.D., Xu, P., 2006. Methods for the preparation of a biodesulfurization biocatalyst using *Rhodococcus* sp. *Chemosphere*, **65**, 165-169.

Maghsoudi, S., Vossoughi, M., Kheirilomoom, A., Tanaka, E., Katoh, S., 2001. Biodesulfurization of hydrocarbons and diesel fuels by *Rhodococcus* sp. strain P32C1. *Biochem. Eng. J.*, **8**, 151-156.

Maghsoudi, S., Kheirilomoom, A., Vossoughi, M., Tanaka, E., Katoh, S., 2000. Selective desulfurization of dibenzothiophene by newly isolated *Corynebacterium* sp. strain P32C1. *Biochem. Eng. J.*, **5**, 11-16.

Marcelis, C.L.M., Leeuwen, M. van, Polderman, H.G., Janssen, A.J.H., Lettinga, G., 2003. Model description of dibenzothiophene mass transfer in oil/water dispersions with respect to biodesulfurization. *Biochem. Eng. J.*, **16**, 253-264.

Martin, A.B., Alcón, A., Santos, V.E., García-Ochoa, F., 2004. Production of a biocatalyst of *Pseudomonas putida* CECT5279 for Dibenzothiophene (DBT) Biodesulfurization for different media composition. *Energy and Fuels*, **18**, 851-857.

Marzona, M., Pessione, E., Di Martino, S., Giunta, C., 1997. Benzothiophene and dibenzothiophene as the sole sulfur source in *Acinetobacter*: growth kinetics and oxidation products. *Fuel Process Technol.*, **52**, 199-205.

Matsui, T., Noda, K., Tanaka, Y., Maruhashi, K., Kurane, R., 2002. Recombinant *Rhodococcus* sp. strain T09 can desulfurize DBT in the presence of inorganic sulphate. *Curr. Microbiol.*, **45**, 240-244.

Matsui, T., Hirasawa, K., Konishi, J., Tanaka, Y., Maruhashi, K., Kurane, R., 2001A. Microbial desulfurization of alkylated dibenzothiophene and alkylated benzothiophene by recombinant *Rhodococcus* sp. strain T09. *Appl. Microbiol. Biotechnol.*, **56**(1-2), 196-200.

Matsui, T., Onaka, T., Maruhashi, K., Kurane, R., 2001B. Benzo[b]thiophene desulfurization by *Gordonia rubropertinctus* strain T08. *Appl. Microbiol. Biotechnol.*, **57**(1-2), 212-215.

Maxwell, S., Yu, J., 2000. Selective desulphurisation of dibenzothiophene by a soil bacterium: microbial DBT desulphurisation. *Process Biochem.*, **35**, 551-556.

McFarland, B. L., 1999. Biodesulfurization. *Curr. Op. in Microbiology*, **2**, 257-264.

McFarland, B.L., Boron, D.J., Deever, W., Meyer, J.A., Johnson, A.R., Atlas, R.M., 1998. Biocatalytic sulfur removal from fuels: applicability for producing low sulfur gasoline. *Crit. Rev. in Microbiol.*, **24**(2), 99-147.

McManamey, W.J., Wase, D.A.J., Raymahasay, S., Thayanithy, K., 1984. The influence of gas inlet design on gas hold-up values in air lift. *Chem. Technol. Biotech.*, **34B**, 151-164.

McWhirter, J.R., Hutter, J.C., 1989. Improved oxygen mass transfer modeling for diffused/subsurface aeration systems. *AICHE J*, **35**, 1527-1534.

Mehta, V.D., Sharma, M.M., 1971. Mass transfer in mechanically agitated gas-liquid contactors. *Chem. Eng. Sci.*, **26**, 461-479.

Mehrnia, M.R., Towfighi, J., Bonakdarpour, B., Akbarnejad, M.M., 2005. Gas hold-up and oxygen transfer in a draft-tube airlift bioreactor with petroleum-based liquids. *Biochem. Eng. J.*, **22**(2), 105-110.

## 8. BIBLIOGRAFÍA

---

Michizoe J., Ichinose, H., Kamiya, N., Maruyama, T., Goto, M., 2005. Functionalization of the cytochrome P450cam monooxygenase system in the cell-like aqueous compartments of water-in-oil emulsions. *J. Biosci. Bioeng.*, **99**(1), 12-17.

Mills, P.L., Ramachandran, P.A., Chaudhari, R.V., 1992. Multiphase reaction engineering for fine chemicals and pharmaceuticals. *Rev. in Chem. Eng.*, **8** (1-2), 1-176.

Monticello, D. J., 2000. Biodesulfurization and the upgrading of petroleum distillates. *Curr. Op. in Microbiol.*, **11**, 540-546.

Monticello, D.J., 1998. Riding the fossil fuel biodesulfurization wave. *Chemtec*, **28**, 38-45.

Monticello, D.J., Finnerty, W.R., 1985. Microbial desulfurization of fossil fuels. *Ann.Rev.Microbiol.*, **39**, 371-389.

Monticello, D.J., Backer, D., Finnerty, W.R., 1985. Plasmid-mediated degradation of dibenzothiophene by *Pseudomonas* species. *Appl. Environ. Microbiol.*, **49**, 750-760.

Moo-Young, M. y Blanch, H.W., 1987. Transport phenomena and bioreactors design. *Basic Biotechnol. Eds. J. Bu'lock y B. Kristiansen. Academic Press. Londres. Cap. 5*, 148-150.

Naito, M., Kawamoto, T., Fujino, K., Kobayashi, M., Maruhashi, K., Tanaka, A., 2001. Long-term repeated biodesulfurization by immobilized *Rhodococcus erythropolis* KA2-5-1. *Appl. Microbiol. Biotechnol.*, **5**(3), 374-378.

Nakayama, N., Matsubara, T., Ohshiro, T., Moroto, Y., Kawata, Y., Koizumi, K., Hirakawa, Y., Suzuki, M., Maruhashi, K., Izumi, Y., Kurane, R., 2002. A novel enzyme, 2'-hydroxybiphenyl-2-sulfinate desulfinate (DszB), from a dibenzothiophene-desulfurizing bacterium *Rhodococcus erythropolis* KA2-5-1:



gene overexpression and enzyme characterization. *Biochem. Biophys. Acta*, **1598**, 122-130.

Nekodzuka, S., Nakajima-Kambe, T., Nomura, N., Lu, J., Nakahara, T., 1996. Specific desulfurization of dibenzothiophene by *Mycobacterium* sp. strain G3. *Biocatal. Biotransformat.*, **15**, 17-27.

Noda, K., Watanabe, K., Maruhashi, K., 2003A. Isolation of a recombinant desulfurizing 4,6-dipropyl dibenzothiophene in n-tetradecane. *J. Biosci. Bioeng.*, **95**(4), 354-360.

Noda, K., Watanabe, K., Maruhashi, K., 2003B. Isolation of the *Pseudomonas aeruginosa* gene affecting uptake of dibenzothiophene in n-tetradecane. *J. Biosci. Bioeng.*, **95**(5), 504-511.

Nomura, N., Takada, M., Okada, H., Shinohara, Y., Nakajima-Kambe, T., Ankara, T., Uchiyama, H., 2005. Identification and functional analysis of genes required for desulfurization of alkyl dibenzothiophenes. *J. Biosci. Bioeng.*, **100**(4), 398-402.

Oda, S., Ohta, H., 2002. Biodesulfurization of dibenzothiophene with *Rhodococcus erythropolis* ATCC 53968 and its mutant in an interface bioreactor. *J. Biosci. Bioeng.*, **94**(5), 474-477.

Ohshiro, T., Ishii, Y., Matsubara, T., Ueda, K., Izumi, Y., Kina, K., Kirimura, K., 2005. DBT desulfurizing enzymes from moderately thermophilic bacterium *Bacillus subtilis* WU-S2B: purification, characterization and overexpression. *J. Biosci. Bioeng.*, **100**(3), 266-273.

Ohshiro, T., Izumi, Y., 1999A. Microbial desulfurization of organic sulfur compounds in petroleum. *Biosci. Biotechnol. Biochem.*, **63**(1), 1-9.

Ohshiro, T., Kojima, T., Torii, K., Kawasoe, H., Izumi, Y., 1999B. Purification and characterization of dibenzothiophene (DBT) sulfone monooxygenase, and

## 8. BIBLIOGRAFÍA

---

enzyme involved in DBT desulfurization, from *Rhodococcus erythropolis* D-1. *J. Biosci. Bioeng.*, **88**(6), 610-616.

Ohshiro, T., Suzuki, K. And Izumi, Y., 1997. Dibenzothiophene (DBT) degrading enzyme responsible for the first step of DBT desulfurization by *Rhodococcus erythropolis* D-1: Purification and Characterization. *J. Ferm. Bioeng.*, **83**(3), 233-237.

Ohshiro, T., Hirata, T., Hashimoto, I., Izumi, Y., 1996A. Characterization of DBT desulfurization reaction by whole cells of *Rhodococcus erythropolis* H-2 in the presence of hydrocarbon. *J. Ferment. Bioeng.*, **82**(6), 610-612.

Ohshiro, T., Suzuki, K., Izumi, Y., 1996B. Regulation of Dibenzothiophene degrading enzyme activity of *Rhodococcus erythropolis* D-1. *J. Ferment. Bioeng.*, **81**(2), 121-124.

Ohshiro, T., Hirata, T., Izumi, Y., 1995. Microbial desulfurization of dibenzothiophene in the presence of hydrocarbon. *Appl. Microbiol. Biotechnol.*, **44**, 249-255.

Ohshiro, T., Hine, Y., Izumi, Y., 1994. Enzymatic desulfurization of dibenzothiophene by a cell-free system of *Rhodococcus erythropolis* D-1. *FEMS Microbiol. Lett.*, **118**, 341-344.

Okada, H., Nomura, N., Nakahara, T., Maruhashi, K., 2002. Analyses of substrate specificity of the desulfurizing bacterium *Mycobacterium* sp. G3. *J. Biosci. Bioeng.*, **93**(2), 228-233.

Oldfield, C., Wood, N.T., Gilbert, S.C., Murray, F.D., Faure, F.R., 1998. Desulfurisation of benzothiophene and dibenzothiophene by actinomycete organisms belonging to the genus *Rhodococcus*, and related taxa. *Antonie Van Leeuwenhoek*, **74**, 119-132.

Oldfield, C., Pogrebinsky, O., Simmonds, J., Olson, E.S., Kulpa, C.F., 1997. Elucidation of the metabolic pathway for dibenzothiophene desulphurization by *Rhodococcus* sp. strain IGTS8 (ATCC 53968). *Microbiol.*, **143**, 2961-2973.

Olson, E., Stanley, D., Gallagher, J., 1993. Characterization of intermediates in the microbial desulfurization of dibenzothiophene. *Energy Fuels*, **7**, 159-164.

Omori, T., Monna, L., Saiki, Y., Kodama, T., 1992. Desulfurization of dibenzothiophene by *Corynebacterium* sp. strain SY-1. *Appl. Environ. Microbiol.*, **58**, 911-915.

Onaka, T., Kobayashi, M., Ishii, Y., Konishi, J., Maruhashi, K., 2001A. Selective cleavage of the two C-S bonds in asymmetrically alkylated dibenzothiophenes by *Rhodococcus erythropolis* KA2-5-1. *J. Biosci. Bioeng.*, **92**(1), 80-82.

Onaka, T., Konishi, J., Ishii, Y., Maruhashi, K., 2001B. Desulfurization characteristic of thermophilic *Paenibacillus* sp. strain A11-2 against asymmetrically alkylated dibenzothiophenes. *J. Biosci. Bioeng.*, **92**(2), 193-196.

Onaka, T., Kobayashi, M., Ishii, Y., Okumura, K., Suzuki, M., 2000. Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes. *J. Chromatography. A*, **903**, 193-202.

Osamu, Y., Ishii, Y., Koizumi, K., Oshiro, T., Izumi, Y., Maruhashi, K., 2002. Enhancement and stabilization of desulfurization activity of *Rhodococcus erythropolis* KA2-5-1 by feeding ethanol and sulfur components. *J. Biosci. Bioeng.*, **94**(5), 447-452.

Patel, S.B., Kilbane II, J.J., Webster, D.A., 1997. Biodesulphurisation of dibenzothiophene in hydrophobic media by *Rhododoccus* sp. strain IGTS8. *J. Chem. Techol. Biotechnol.*, **69**, 100-106.

## 8. BIBLIOGRAFÍA

---

Perry, R.H., Chilton, C.H., 1988. Biblioteca del Ingeniero Químico. Vol. 1. 5<sup>o</sup> Edición. McGraw-Hill. Mexico.

Piddington, C.S., Kovavevich, B.R., Rambosek, J., 1995. Sequence and molecular characterization of a DNA region encoding the dibenzothiophene desulfurization operon of *Rhodococcus* sp. strain IGTS8. *Appl. Environ. Microbiol.*, **61**, 468-475.

Popovic, M, Robinson, C.W., 1987A. The specific interfacial area in external-circulation-loop airlifts and bubble columns-II. Aqueous sodium sulphite solution. *Chem. Eng. Sci.*, **42**, 2811-2824.

Popovic, M, Robinson, C.W., 1987B. The specific interfacial area in external-circulation-loop airlifts and bubble columns-II. Carboxymethyl cellulose/sulphite solution. *Chem. Eng. Sci.*, **42**, 2825-2832.

Quintana, M.G., Didion, C., Dalton, H., 1997. Colorimetric method fro a rapid detection of oxygenated aromatic biotransformation products. *Biotechnol. Techniques*, **11**(8), 585-587.

Quintero, R., 1981. *Ingeniería Bioquímica. Ed. Alhambra Mexicana S.A.*

Rall, H.T., Thompson, C.J., Coleman, H.J., Hopkins, R.L., 1972. In: Bulletin 659, Sulfur compounds in crude oil, U.S. Dept. of Interior, Bureau of Mines.

Rashtchi, M., Mohebbali, G.H., Akbarnejad, M.M., Towfighi, J., Rasekh, B., Keytash, A., 2006. Analysis of biodesulfurization of model oil system by the bacterium, strain RIPI-22. *Biochem. Eng. J.*, **29**(3), 169-173.

Ratkowsky, D.A., Lowry, R.K., McMeekin, T.A., Stokes, A.N., Chandler, R.E., 1983. Model for bacterial culture growth rate throughout the entire biokinetic temperature range. *J. Bacteriol.*, **154**(3), 1222-1226.

Reid, R.C., Prausnitz, J.M., Sherwood, T.K., 1977. The properties of gases and liquids. *3º Edición. McGraw-Hill. New York*

Rhee, S-K., Chang, J.H., Chang, Y.K., Chang, H.N., 1998. Desulfurization of dibenzothiophene and diesel oils by a newly isolated *Gordona* strain CYKS1. *Appl. Environ. Microbiol.*, **62**, 2327-2331.

Richardson, J.F., Higson, D.J., 1962. A study of the energy losses associated with the operation of an airlift pump. *Trans. Instn. Chem. Engrs.*, **40**, 169-182.

Rietema, K., Ottengraf, S.P.P., 1970. Laminar liquid circulation and bubble street formation in a gas-liquid system. *Trans. Instn. Chem. Engrs.*, **48**, T54-T62.

Robinson W.R.A.M., Van Veen J.A.R., De Beer V.H.J., Van Santen R.A., 1999. Development of deep hydrodesulfurization catalysts II. NiW, Pt and Pd catalysts tested with (substituted) dibenzothiophene. *Fuel Process. Technol.*, **61**, 89-101.

Rodríguez Fernandez-Alba, A., 1998. Modelo de flujo trifásico gas-líquido-sólido para columnas de burbujeo clásicas y con recirculación. Tesis Doctoral. Universidad de Alcalá.

Rols, J.L., Condoret, J.S., Fonade, C., Goma, G., 1990. Mechanism of enhanced oxygen transfer in fermentation using emulsified oxygen-vectors. *Biotechnol. Bioeng.*, **35**, 427-435.

Rosenberg, M., 1991. Basic and applied aspects of microbial adhesion at the hydrocarbon: water interface. *Crit. Rev. in Microbiol.*, **18**(2), 159-173.

Rosenberg, M., Gutnick, D., Rosenberg, E., 1980. Adherence of bacteria to hydrocarbons: A simple method for measuring cell-surface hydrophobicity. *FEMS Microbiol. Lett.*, **9**, 29-33.

## 8. BIBLIOGRAFÍA

---

Schilling, B.M., Alvarez, L.M., Wang, D.I.C., Cooney, C.L., 2002. Continuous desulfurization of DBT wity *Rhodococcus rhodochrous* IGTS8 (ATCC 53968). *Biotechnol. Prog.*, **18**, 1207-1213.

Schmid, A., Kollmer, A., Witholt, B., 1998. Effects of biosurfactant and emulsification on two-liquid phase *Pseudomonas oleovorans* cultures and cell-free emulsions containing n-decane. *Enz. Microbiol. Technol.*, **22**, 487-493.

Schügerl, K., 1982. New bioreactors for aerobic processes. *Int. Chem. Eng.*, **22** (4), 591-610.

Setti, L., Bonoli, S., Badiali, E., Giuliani, S., 2003. Inverse phase transfer biocatalysis for a biodesulfurization process of middle distillates. *BECTH.MOCK.YJ-TA.CEP.2.XHMR.*, **44**(1), 80-83.

Setti, L., Farinelli, P., Di Martino, S., Frassinetti, S., Lanzarini, G., Pifferi, P.G., 1999A. Developments in destructive and non-destructive pathways for selective desulfurizations in oil-biorefining processes. *Appl. Microbiol. Biotechnol.*, **52**, 111-117.

Setti, L., Mazzieri, S., Pifferi, P.G., 1999B. Enhanced degradation of heavy oil in an aqueous system by a *Pseudomonas* sp. in the presence of natural and synthetic sorbents. *Biosource Technol.*, **67**, 191-199.

Setti, L., Lanzarini G., Pifferi P. G., 1997. Whole cell biocatalysis for an oil desulfurization process. *Fuel Process Technol.*, **52**, 145-153.

Setti, L., Lanzarini, G., Pifferi, P.G., 1995. Dibenzothiophene biodegradation by a *Pseudomonas* sp. in model solutions. *Process Biochem.*, **30** (8), 721-728.

Setti, L., Lanzarini, G., Pifferi, P.G., 1994. Diffusion as a rate controlling step in heavy-oil biodesulfurization processes. *Fuel Process Technol.*, **40**, 311-317.

Setti, L., Lanzarini, G., Pifferi, P.G., Spagna, G., 1993. Further research into the aerobic degradation of n-alkanes in a heavy oil by a pure culture of *Pseudomonas* sp. *Chemosphere*, **26**(6), 1151-1157.

Shah, Y.T., Kelkar, B.G, Godbole, S.P., Decwer, W.D., 1982. Design parameters estimations for bubble column reactors. *AICHE J.*, **28** (3), 353-379.

Shariati, F.J., Bonakdarpour, B., Mehrnia, M.R., 2006. Hydrodynamics and oxygen transfer behaviour of water and diesel microemulsions in a draft tube airlift bioreactor.(En prensa en *Chem. Eng. Process.*).

Song, C., Ma, X., 2003. New design approaches to ultra-clean diesel fuels by deep desulfurization and deep dearomatization. *Appl. Catal. B: Environ.*, **41**(1-2), 207-228.

Soto, L.M., Ledo, H., Calderón, Y., Marín, J., Galarraga, F., 1998. Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography. *J. Chromatography A*, **824**, 45-52.

Speight, J.C., 1981. The desulfurization of heavy oils and residua. (*Heinz Hienemann, ed.*). Marcel Dekker, N. K..

Strahler, A. N., 1992. Geología Física. Ed. OMEGA. ISBN 84-282-0770-4.

Tanaka, Y., Onaka, T., Matsui, T., Maruhashi, K., Kurane, R., 2001. Desulfurization of benzothiophene by the Gram-negative bacterium, *Sinorhizobium* sp. KT55. *Curr. Microbiol.*, **43**, 187-191.

Tissot, B.P., Welte D.H., 1984. Petroleum formation and occurrence, 2<sup>ª</sup> Edición. *Springer-Verlag, Berlin*

Torres, L.G., Zamora, E.R., 2002. Preparation and power consumption of surfactant-fuel-oil-water emulsions using axial, radial, and mixed flow impellers. *Fuel*, **81**, 2289-2302.

## 8. BIBLIOGRAFÍA

---

Ueyama, K., Miyauchi, T., 1979. Properties of recirculating turbulent two phase flow in gas bubble columns. *AICHE J.*, **25**(2), 258-266.

Van Afferden, M., Schacht S., Klein, J., Trüper, H.G., 1990. Desulfurization of dibenzothiophene by *Brevibacterium* sp. *DO. Arch. Microbiol.*, **153**, 324-328.

Van der Meer, A.B, Beenackers, A.A.C.M., Burghard, R., Mulder, N.H., Fok, J.J., 1992. Gas/liquid mass transfer in a four-phase stirred fermentor: effects of organic phase hold-up and surfactant concentration. *Chem. Eng. Sci.*, **47**, 2369-2374.

Van Ede, C.J., Van Houten, R., Beenackers, A.A.C.M., 1995. Enhancement of gas to water mass transfer rates by a dispersed organic phase. *Chem. Eng. Sci.*, **50** , 2911-2922.

Verlaan, P., Vos, J.C. y Van 't Riet, K., 1989A. Hydrodynamics of the flow transition from a bubble column to an airlift-loop reactor. *J. Chem. Technol. Biotechnol.*, **45**, 109-121.

Verlaan, P., Vos, J.C. y Van 't Riet, K., 1989B. Axial dispersion and oxygen transfer in the transition from bubble column to airlift-loop reactor. *J. Chem. Technol. Biotechnol.*, **45**, 181-190.

Verlaan, P., Tramper, J., Van 't Riet, K., Luyben, A.M., 1986. A hydrodynamic model for an airlift-loop bioreactor with external loop. *Chem. Eng. J.*, **33**, B43-B53.

Vlaev, S.D. y Valeva, M., 1990. Rheology and oxygen transfer in starch suspensions during high temperature (35°C)  $\alpha$ -amylase fermentation. *Chem. Eng. J.*, **44**, B51-B55.

Wallis, G.B., 1969. One-dimensional two-phase flow. *McGraw-Hill, New York*

Walter, J.F., Blanch, H.W., 1983. Liquid circulation patterns and their effects on gas hold up and axial mixing in bubble columns. *Chem. Eng. Commun.*, **19**, 243-262.



- Wang, P., Humphrey, A.E., Krawiec, S., 1996. Kinetic analyses of desulfurization of dibenzothiophene by *Rhodococcus erythropolis* in continuous cultures. *Appl. Environ. Microbiol.*, **62**(8), 3066-3068.
- Wang, P., Krawiec, S., 1996. Kinetic analyses of desulfurization of dibenzothiophene by *Rhodococcus erythropolis* in batch and fed-batch cultures. *Appl. Environ. Microbiol.*, **62**(5), 1670-1675.
- Wang, P., Krawiec, S., 1994. Desulfurization of dibenzothiophene to 2-hydroxybiphenyl by some newly isolated bacterial strains. *Arch. Microbiol.*, **161**, 266-271.
- Watkins, L.M., Rodriguez, R., Schneider, D., Broderick, R., Cruz, M., Chambers, R., Ruckman, E., Cody, M., Mrachko, G.T., 2003. Purification and characterization of the aromatic desulfinate, 2-(2'-hydroxyphenyl)benzenesulfinate desulfinate. *Arch. Biochem. Biophys.*, **415**, 14-23.
- Whyte, L.G., Hawari, J., Zhou, E., Bourbonnière, L., Inniss, W.E., Greer, C.W., 1998. Biodegradation of variable-chain-length alkanes at low temperatures by a psychrotrophic *Rhodococcus* sp. *Appl. Environ. Microbiol.*, **64**(7), 2578-2584.
- Wodzinski, R. S., Coyle, J. E., 1974. Physical state of phenanthrene for utilization by bacteria. *Appl. Microbiol.*, 1091-1094
- Xi, L., Squires, C.H., Monticello, D.J., Childs, J.D., 1997. A flavin reductase stimulates DszA and DszC proteins of *Rhodococcus erythropolis* IGTS8 *in vitro*. *Biochem. Biophys. Res. Commun.*, **230**, 73-75.
- Yamada, H., Goto, S., 1998. Gas and liquid holdups in a multi-stage bubble columns for gas-liquid-liquid-solid four-phase system. *Journ. Chem. Eng. Japan*, **31**, 813-817.

## 8. BIBLIOGRAFÍA

---

Yan H., Kishimoto, M., Omasa, T., Katakura Y., Suga K., Okumura K., Yoshikawa, O., 2000. Increase in desulfurization activity of *Rhodococcus erythropolis* KA2-5-1 using ethanol feeding. *J. Biosc. Bioeng.*, **89**(4), 361-366.

Yang, J., Marison, I. W., 2005. Two-stage process design for the biodesulfurisation of a model diesel by a newly isolated *Rhodococcus globerulus* DAQ3. *Biochem. Eng. J.*, **27**, 77-82.

Yang, X.M., Mao, Z.X., Yang, S.Z., Mao, W.Y., 1988. An improved method for determination of volumetric oxygen transfer coefficient in fermentation processes. *Biotechnol. Bioeng.*, **31**, 1006-1009.

Yasukawa, M., Onodera, M. Yamagiwa, K., Ohkawa, A., 1991A. Gas hold up, power consumption, and oxygen absorption coefficient in a stirred-tank fermentor under foam control. *Biotechnol. Bioeng.*, **38**, 629-636.

Yeom,S-H., Daugulis, A.J., 2001. Benzene degradation in a two-phase partitioning bioreactor by *Alcaligenes xylosoxidans* Y234. *Process Biochem.*, **36**, 765-772.

Yoshi, J.B., Sharma, M.M., 1976. Mass transfer and hydrodynamic characteristics of horizontal sparged reactors. *Trans. Inst. Chem. Engrs.*, **54**, 42-53.

Yoshida, F., Yamane, T., Miyamoto, Y., 1970. Oxygen absorption into oil-in-water emulsions. *Ind. Eng. Chem*, **9**, 570-577.

Yoshikawa, O., Ishii, Y., Koizumi, K-I, Ohshiro, T., Izumi, Y., Maruhashi, K., 2002. Enhancement and stabilization of desulfurization activity of *Rhodococcus erythropolis* KA2-5-1 by feeding ethanol and sulfur components. *J. Biosci. Bioeng.*, **94**(5), 447-452.